



Ascent® Outswing French Doors - Panels CP2 & CSL2
Opening Tables

Call Size	Width (Inches)	Height (Inches)		Clear Opening (Inches)			Clear Opening / Vent		SQFT Daylight Opening	Glass Size (Inches)		Panel Size (Inches)		
		Std. Sill	ADA Sill	Width	Height		Std. Sill	ADA Sill		SQFT	Width	Height	Width	Height
					Std. Sill	ADA Sill								
Single Door (CP2)														
<i>6-1/2" stiles & top rail, 12" bottom rail</i>														
2068	24 1/2	79 5/16	78 7/8	20 1/8	75 15/16	77 1/8	10.61	10.78	3.95	10 11/16	59 11/16	22 11/16	77 3/16	
2668	30 1/2	79 5/16	78 7/8	26 1/8	75 15/16	77 1/8	13.78	13.99	6.39	16 11/16	59 11/16	28 11/16	77 3/16	
2868	32 1/2	79 5/16	78 7/8	28 1/8	75 15/16	77 1/8	14.83	15.06	7.21	18 11/16	59 11/16	30 11/16	77 3/16	
3068	36 1/2	79 5/16	78 7/8	32 1/8	75 15/16	77 1/8	16.94	17.21	8.84	22 11/16	59 11/16	34 11/16	77 3/16	
3268	38 1/2	79 5/16	78 7/8	34 1/8	75 15/16	77 1/8	18.00	18.28	9.65	24 11/16	59 11/16	36 11/16	77 3/16	
20610	24 1/2	81 5/16	80 7/8	20 1/8	77 15/16	79 1/8	10.89	11.06	4.08	10 11/16	61 11/16	22 11/16	79 3/16	
26610	30 1/2	81 5/16	80 7/8	26 1/8	77 15/16	79 1/8	14.14	14.36	6.61	16 11/16	61 11/16	28 11/16	79 3/16	
28610	32 1/2	81 5/16	80 7/8	28 1/8	77 15/16	79 1/8	15.22	15.45	7.45	18 11/16	61 11/16	30 11/16	79 3/16	
30610	36 1/2	81 5/16	80 7/8	32 1/8	77 15/16	79 1/8	17.39	17.65	9.14	22 11/16	61 11/16	34 11/16	79 3/16	
32610	38 1/2	81 5/16	80 7/8	34 1/8	77 15/16	79 1/8	18.47	18.75	9.98	24 11/16	61 11/16	36 11/16	79 3/16	
2070	24 1/2	83 5/16	82 7/8	20 1/8	79 15/16	81 1/8	11.17	11.34	4.22	10 11/16	63 11/16	22 11/16	81 3/16	
2670	30 1/2	83 5/16	82 7/8	26 1/8	79 15/16	81 1/8	14.50	14.72	6.83	16 11/16	63 11/16	28 11/16	81 3/16	
2870	32 1/2	83 5/16	82 7/8	28 1/8	79 15/16	81 1/8	15.61	15.84	7.70	18 11/16	63 11/16	30 11/16	81 3/16	
3070	36 1/2	83 5/16	82 7/8	32 1/8	79 15/16	81 1/8	17.83	18.10	9.44	22 11/16	63 11/16	34 11/16	81 3/16	
3270	38 1/2	83 5/16	82 7/8	34 1/8	79 15/16	81 1/8	18.94	19.22	10.31	24 11/16	63 11/16	36 11/16	81 3/16	
2073	24 1/2	86 5/16	85 7/8	20 1/8	82 15/16	84 1/8	11.59	11.76	4.42	10 11/16	66 11/16	22 11/16	84 3/16	
2673	30 1/2	86 5/16	85 7/8	26 1/8	82 15/16	84 1/8	15.05	15.26	7.16	16 11/16	66 11/16	28 11/16	84 3/16	
2873	32 1/2	86 5/16	85 7/8	28 1/8	82 15/16	84 1/8	16.20	16.43	8.07	18 11/16	66 11/16	30 11/16	84 3/16	
3073	36 1/2	86 5/16	85 7/8	32 1/8	82 15/16	84 1/8	18.50	18.77	9.89	22 11/16	66 11/16	34 11/16	84 3/16	
3273	38 1/2	86 5/16	85 7/8	34 1/8	82 15/16	84 1/8	19.65	19.94	10.81	24 11/16	66 11/16	36 11/16	84 3/16	
2080	24 1/2	95 5/16	94 7/8	20 1/8	91 15/16	93 1/8	12.85	13.01	5.02	10 11/16	75 11/16	22 11/16	93 3/16	
2680	30 1/2	95 5/16	94 7/8	26 1/8	91 15/16	93 1/8	16.68	16.90	8.14	16 11/16	75 11/16	28 11/16	93 3/16	
2880	32 1/2	95 5/16	94 7/8	28 1/8	91 15/16	93 1/8	17.96	18.19	9.17	18 11/16	75 11/16	30 11/16	93 3/16	
3080	36 1/2	95 5/16	94 7/8	32 1/8	91 15/16	93 1/8	20.51	20.78	11.25	22 11/16	75 11/16	34 11/16	93 3/16	
3280	38 1/2	95 5/16	94 7/8	34 1/8	91 15/16	93 1/8	21.79	22.07	12.29	24 11/16	75 11/16	36 11/16	93 3/16	
2083	24 1/2	98 5/16	97 7/8	20 1/8	94 15/16	96 1/8	13.27	13.43	5.23	10 11/16	78 11/16	22 11/16	96 3/16	
2683	30 1/2	98 5/16	97 7/8	26 1/8	94 15/16	96 1/8	17.22	17.44	8.46	16 11/16	78 11/16	28 11/16	96 3/16	
2883	32 1/2	98 5/16	97 7/8	28 1/8	94 15/16	96 1/8	18.54	18.77	9.54	18 11/16	78 11/16	30 11/16	96 3/16	
3083	36 1/2	98 5/16	97 7/8	32 1/8	94 15/16	96 1/8	21.18	21.44	11.70	22 11/16	78 11/16	34 11/16	96 3/16	
3283	38 1/2	98 5/16	97 7/8	34 1/8	94 15/16	96 1/8	22.50	22.78	12.78	24 11/16	78 11/16	36 11/16	96 3/16	
Double Door / Standard Astragal (CP2/CP2) - Active panel open at 90 degrees														
<i>6-1/2" stiles & top rail, 12" bottom rail</i>														
4068	48 1/16	79 5/16	78 7/8	20 1/32	75 15/16	77 1/8	10.56	10.73	7.90	10 11/16	59 11/16	22 11/16	77 3/16	
5068	60 1/16	79 5/16	78 7/8	26 1/32	75 15/16	77 1/8	13.73	13.94	12.79	16 11/16	59 11/16	28 11/16	77 3/16	
5468	64 1/16	79 5/16	78 7/8	28 1/32	75 15/16	77 1/8	14.78	15.01	14.42	18 11/16	59 11/16	30 11/16	77 3/16	
6068	72 1/16	79 5/16	78 7/8	32 1/32	75 15/16	77 1/8	16.89	17.16	17.68	22 11/16	59 11/16	34 11/16	77 3/16	
6468	76 1/16	79 5/16	78 7/8	34 1/32	75 15/16	77 1/8	17.95	18.23	19.31	24 11/16	59 11/16	36 11/16	77 3/16	
40610	48 1/16	81 5/16	80 7/8	20 1/32	77 15/16	79 1/8	10.84	11.01	8.17	10 11/16	61 11/16	22 11/16	79 3/16	
50610	60 1/16	81 5/16	80 7/8	26 1/32	77 15/16	79 1/8	14.09	14.30	13.22	16 11/16	61 11/16	28 11/16	79 3/16	
54610	64 1/16	81 5/16	80 7/8	28 1/32	77 15/16	79 1/8	15.17	15.40	14.91	18 11/16	61 11/16	30 11/16	79 3/16	
60610	72 1/16	81 5/16	80 7/8	32 1/32	77 15/16	79 1/8	17.34	17.60	18.28	22 11/16	61 11/16	34 11/16	79 3/16	
64610	76 1/16	81 5/16	80 7/8	34 1/32	77 15/16	79 1/8	18.42	18.70	19.97	24 11/16	61 11/16	36 11/16	79 3/16	
4070	48 1/16	83 5/16	82 7/8	20 1/32	79 15/16	81 1/8	11.12	11.28	8.43	10 11/16	63 11/16	22 11/16	81 3/16	
5070	60 1/16	83 5/16	82 7/8	26 1/32	79 15/16	81 1/8	14.45	14.67	13.66	16 11/16	63 11/16	28 11/16	81 3/16	
5470	64 1/16	83 5/16	82 7/8	28 1/32	79 15/16	81 1/8	15.56	15.79	15.40	18 11/16	63 11/16	30 11/16	81 3/16	
6070	72 1/16	83 5/16	82 7/8	32 1/32	79 15/16	81 1/8	17.78	18.05	18.88	22 11/16	63 11/16	34 11/16	81 3/16	
6470	76 1/16	83 5/16	82 7/8	34 1/32	79 15/16	81 1/8	18.89	19.17	20.62	24 11/16	63 11/16	36 11/16	81 3/16	
4073	48 1/16	86 5/16	85 7/8	20 1/32	82 15/16	84 1/8	11.54	11.70	8.84	10 11/16	66 11/16	22 11/16	84 3/16	
5073	60 1/16	86 5/16	85 7/8	26 1/32	82 15/16	84 1/8	14.99	15.21	14.31	16 11/16	66 11/16	28 11/16	84 3/16	
5473	64 1/16	86 5/16	85 7/8	28 1/32	82 15/16	84 1/8	16.14	16.38	16.14	18 11/16	66 11/16	30 11/16	84 3/16	
6073	72 1/16	86 5/16	85 7/8	32 1/32	82 15/16	84 1/8	18.45	18.71	19.79	22 11/16	66 11/16	34 11/16	84 3/16	
6473	76 1/16	86 5/16	85 7/8	34 1/32	82 15/16	84 1/8	19.60	19.88	21.61	24 11/16	66 11/16	36 11/16	84 3/16	
4080	48 1/16	95 5/16	94 7/8	20 1/32	91 15/16	93 1/8	12.79	12.95	10.05	10 11/16	75 11/16	22 11/16	93 3/16	
5080	60 1/16	95 5/16	94 7/8	26 1/32	91 15/16	93 1/8	16.62	16.83	16.27	16 11/16	75 11/16	28 11/16	93 3/16	
5480	64 1/16	95 5/16	94 7/8	28 1/32	91 15/16	93 1/8	17.90	18.13	18.35	18 11/16	75 11/16	30 11/16	93 3/16	
6080	72 1/16	95 5/16	94 7/8	32 1/32	91 15/16	93 1/8	20.45	20.71	22.50	22 11/16	75 11/16	34 11/16	93 3/16	
6480	76 1/16	95 5/16	94 7/8	34 1/32	91 15/16	93 1/8	21.73	22.01	24.57	24 11/16	75 11/16	36 11/16	93 3/16	
4083	48 1/16	98 5/16	97 7/8	20 1/32	94 15/16	96 1/8	13.21	13.37	10.45	10 11/16	78 11/16	22 11/16	96 3/16	
5083	60 1/16	98 5/16	97 7/8	26 1/32	94 15/16	96 1/8	17.16	17.38	16.93	16 11/16	78 11/16	28 11/16	96 3/16	
5483	64 1/16	98 5/16	97 7/8	28 1/32	94 15/16	96 1/8	18.48	18.71	19.08	18 11/16	78 11/16	30 11/16	96 3/16	
6083	72 1/16	98 5/16	97 7/8	32 1/32	94 15/16	96 1/8	21.12	21.38	23.40	22 11/16	78 11/16	34 11/16	96 3/16	
6483	76 1/16	98 5/16	97 7/8	34 1/32	94 15/16	96 1/8	22.44	22.72	25.56	24 11/16	78 11/16	36 11/16	96 3/16	



Ascent® Outswing French Doors - Panels CP2 & CSL2
Opening Tables

Call Size	Width (Inches)	Height (inches)		Clear Opening (Inches)				Clear Opening / Vent		SQFT Daylight Opening	Glass Size (Inches)		Panel Size (Inches)	
		Std. Sill	ADA Sill	Std. Sill	ADA Sill	Std. Sill	ADA Sill	Std. Sill	ADA Sill		Width	Height	Width	Height
Double Door / Standard Astragal (CP2/CP2) - Both panels open at 90 degrees														
<i>6-1/2 stiles & top rail, 12" bottom rail</i>														
4068	48 1/16	79 5/16	78 7/8	41 7/8	75 15/16	77 1/8	22.08	22.43	7.90	10 11/16	59 11/16	22 11/16	77 3/16	
5068	60 1/16	79 5/16	78 7/8	53 7/8	75 15/16	77 1/8	28.41	28.85	12.79	16 11/16	59 11/16	28 11/16	77 3/16	
5468	64 1/16	79 5/16	78 7/8	57 7/8	75 15/16	77 1/8	30.52	31.00	14.42	18 11/16	59 11/16	30 11/16	77 3/16	
6068	72 1/16	79 5/16	78 7/8	65 7/8	75 15/16	77 1/8	34.74	35.28	17.68	22 11/16	59 11/16	34 11/16	77 3/16	
6468	76 1/16	79 5/16	78 7/8	69 7/8	75 15/16	77 1/8	36.85	37.42	19.31	24 11/16	59 11/16	36 11/16	77 3/16	
40610	48 1/16	81 5/16	80 7/8	41 7/8	77 15/16	79 1/8	22.66	23.01	8.17	10 11/16	61 11/16	22 11/16	79 3/16	
50610	60 1/16	81 5/16	80 7/8	53 7/8	77 15/16	79 1/8	29.16	29.60	13.22	16 11/16	61 11/16	28 11/16	79 3/16	
54610	64 1/16	81 5/16	80 7/8	57 7/8	77 15/16	79 1/8	31.32	31.80	14.91	18 11/16	61 11/16	30 11/16	79 3/16	
60610	72 1/16	81 5/16	80 7/8	65 7/8	77 15/16	79 1/8	35.65	36.20	18.28	22 11/16	61 11/16	34 11/16	79 3/16	
64610	76 1/16	81 5/16	80 7/8	69 7/8	77 15/16	79 1/8	37.82	38.39	19.97	24 11/16	61 11/16	36 11/16	79 3/16	
4070	48 1/16	83 5/16	82 7/8	41 7/8	79 15/16	81 1/8	23.25	23.59	8.43	10 11/16	63 11/16	22 11/16	81 3/16	
5070	60 1/16	83 5/16	82 7/8	53 7/8	79 15/16	81 1/8	29.91	30.35	13.66	16 11/16	63 11/16	28 11/16	81 3/16	
5470	64 1/16	83 5/16	82 7/8	57 7/8	79 15/16	81 1/8	32.13	32.60	15.40	18 11/16	63 11/16	30 11/16	81 3/16	
6070	72 1/16	83 5/16	82 7/8	65 7/8	79 15/16	81 1/8	36.57	37.11	18.88	22 11/16	63 11/16	34 11/16	81 3/16	
6470	76 1/16	83 5/16	82 7/8	69 7/8	79 15/16	81 1/8	38.79	39.37	20.62	24 11/16	63 11/16	36 11/16	81 3/16	
4073	48 1/16	86 5/16	85 7/8	41 7/8	82 15/16	84 1/8	24.12	24.46	8.84	10 11/16	66 11/16	22 11/16	84 3/16	
5073	60 1/16	86 5/16	85 7/8	53 7/8	82 15/16	84 1/8	31.03	31.47	14.31	16 11/16	66 11/16	28 11/16	84 3/16	
5473	64 1/16	86 5/16	85 7/8	57 7/8	82 15/16	84 1/8	33.33	33.81	16.14	18 11/16	66 11/16	30 11/16	84 3/16	
6073	72 1/16	86 5/16	85 7/8	65 7/8	82 15/16	84 1/8	37.94	38.48	19.79	22 11/16	66 11/16	34 11/16	84 3/16	
6473	76 1/16	86 5/16	85 7/8	69 7/8	82 15/16	84 1/8	40.24	40.82	21.61	24 11/16	66 11/16	36 11/16	84 3/16	
4080	48 1/16	95 5/16	94 7/8	41 7/8	91 15/16	93 1/8	26.74	27.08	10.05	10 11/16	75 11/16	22 11/16	93 3/16	
5080	60 1/16	95 5/16	94 7/8	53 7/8	91 15/16	93 1/8	34.40	34.84	16.27	16 11/16	75 11/16	28 11/16	93 3/16	
5480	64 1/16	95 5/16	94 7/8	57 7/8	91 15/16	93 1/8	36.95	37.43	18.35	18 11/16	75 11/16	30 11/16	93 3/16	
6080	72 1/16	95 5/16	94 7/8	65 7/8	91 15/16	93 1/8	42.06	42.60	22.50	22 11/16	75 11/16	34 11/16	93 3/16	
6480	76 1/16	95 5/16	94 7/8	69 7/8	91 15/16	93 1/8	44.61	45.19	24.57	24 11/16	75 11/16	36 11/16	93 3/16	
4083	48 1/16	98 5/16	97 7/8	41 7/8	94 15/16	96 1/8	27.61	27.95	10.45	10 11/16	78 11/16	22 11/16	96 3/16	
5083	60 1/16	98 5/16	97 7/8	53 7/8	94 15/16	96 1/8	35.52	35.96	16.93	16 11/16	78 11/16	28 11/16	96 3/16	
5483	64 1/16	98 5/16	97 7/8	57 7/8	94 15/16	96 1/8	38.16	38.63	19.08	18 11/16	78 11/16	30 11/16	96 3/16	
6083	72 1/16	98 5/16	97 7/8	65 7/8	94 15/16	96 1/8	43.43	43.97	23.40	22 11/16	78 11/16	34 11/16	96 3/16	
6483	76 1/16	98 5/16	97 7/8	69 7/8	94 15/16	96 1/8	46.07	46.64	25.56	24 11/16	78 11/16	36 11/16	96 3/16	
Sidelite (CP2)														
<i>6-1/2" stiles & top rail, 12" bottom rail</i>														
2068	24 1/2	79 5/16	78 7/8	-	-	-	-	-	3.95	10 11/16	59 11/16	22 11/16	77 3/16	
2668	30 1/2	79 5/16	78 7/8	-	-	-	-	-	6.39	16 11/16	59 11/16	28 11/16	77 3/16	
2868	32 1/2	79 5/16	78 7/8	-	-	-	-	-	7.21	18 11/16	59 11/16	30 11/16	77 3/16	
3068	36 1/2	79 5/16	78 7/8	-	-	-	-	-	8.84	22 11/16	59 11/16	34 11/16	77 3/16	
3268	38 1/2	79 5/16	78 7/8	-	-	-	-	-	9.65	24 11/16	59 11/16	36 11/16	77 3/16	
20610	24 1/2	81 5/16	80 7/8	-	-	-	-	-	4.08	10 11/16	61 11/16	22 11/16	79 3/16	
26610	30 1/2	81 5/16	80 7/8	-	-	-	-	-	6.61	16 11/16	61 11/16	28 11/16	79 3/16	
28610	32 1/2	81 5/16	80 7/8	-	-	-	-	-	7.45	18 11/16	61 11/16	30 11/16	79 3/16	
30610	36 1/2	81 5/16	80 7/8	-	-	-	-	-	9.14	22 11/16	61 11/16	34 11/16	79 3/16	
32610	38 1/2	81 5/16	80 7/8	-	-	-	-	-	9.98	24 11/16	61 11/16	36 11/16	79 3/16	
2070	24 1/2	83 5/16	82 7/8	-	-	-	-	-	4.22	10 11/16	63 11/16	22 11/16	81 3/16	
2670	30 1/2	83 5/16	82 7/8	-	-	-	-	-	6.83	16 11/16	63 11/16	28 11/16	81 3/16	
2870	32 1/2	83 5/16	82 7/8	-	-	-	-	-	7.70	18 11/16	63 11/16	30 11/16	81 3/16	
3070	36 1/2	83 5/16	82 7/8	-	-	-	-	-	9.44	22 11/16	63 11/16	34 11/16	81 3/16	
3270	38 1/2	83 5/16	82 7/8	-	-	-	-	-	10.31	24 11/16	63 11/16	36 11/16	81 3/16	
2073	24 1/2	86 5/16	85 7/8	-	-	-	-	-	4.42	10 11/16	66 11/16	22 11/16	84 3/16	
2673	30 1/2	86 5/16	85 7/8	-	-	-	-	-	7.16	16 11/16	66 11/16	28 11/16	84 3/16	
2873	32 1/2	86 5/16	85 7/8	-	-	-	-	-	8.07	18 11/16	66 11/16	30 11/16	84 3/16	
3073	36 1/2	86 5/16	85 7/8	-	-	-	-	-	9.89	22 11/16	66 11/16	34 11/16	84 3/16	
3273	38 1/2	86 5/16	85 7/8	-	-	-	-	-	10.81	24 11/16	66 11/16	36 11/16	84 3/16	
2080	24 1/2	95 5/16	94 7/8	-	-	-	-	-	5.02	10 11/16	75 11/16	22 11/16	93 3/16	
2680	30 1/2	95 5/16	94 7/8	-	-	-	-	-	8.14	16 11/16	75 11/16	28 11/16	93 3/16	
2880	32 1/2	95 5/16	94 7/8	-	-	-	-	-	9.17	18 11/16	75 11/16	30 11/16	93 3/16	
3080	36 1/2	95 5/16	94 7/8	-	-	-	-	-	11.25	22 11/16	75 11/16	34 11/16	93 3/16	
3280	38 1/2	95 5/16	94 7/8	-	-	-	-	-	12.78	24 11/16	75 11/16	36 11/16	93 3/16	
2083	24 1/2	98 5/16	97 7/8	-	-	-	-	-	5.23	10 11/16	78 11/16	22 11/16	96 3/16	
2683	30 1/2	98 5/16	97 7/8	-	-	-	-	-	8.46	16 11/16	78 11/16	28 11/16	96 3/16	
2883	32 1/2	98 5/16	97 7/8	-	-	-	-	-	9.54	18 11/16	78 11/16	30 11/16	96 3/16	
3083	36 1/2	98 5/16	97 7/8	-	-	-	-	-	11.70	22 11/16	78 11/16	34 11/16	96 3/16	
3283	38 1/2	98 5/16	97 7/8	-	-	-	-	-	12.78	24 11/16	78 11/16	36 11/16	96 3/16	

Call Size	Width (Inches)	Height (Inches)		Clear Opening (Inches)				Clear Opening / Vent		SQFT Daylight Opening	Glass Size (Inches)		Panel Size (Inches)	
		Std. Sill	ADA Sill	Width	Height		SQFT		Width		Height	Width	Height	
					Std. Sill	ADA Sill	Std. Sill	ADA Sill						
Sidelite (CSL2)														
<i>2-3/4" stiles, 6-1/2" top rail, 12" bottom rail</i>														
1268	14 1/2	79 5/16	78 7/8	-	-	-	-	-	-	2.93	8 3/16	59 11/16	12 11/16	77 3/16
1468	16 1/2	79 5/16	78 7/8	-	-	-	-	-	-	3.74	10 3/16	59 11/16	14 11/16	77 3/16
1668	18 1/2	79 5/16	78 7/8	-	-	-	-	-	-	4.56	12 3/16	59 11/16	16 11/16	77 3/16
1868	20 1/2	79 5/16	78 7/8	-	-	-	-	-	-	5.37	14 3/16	59 11/16	18 11/16	77 3/16
12610	14 1/2	81 5/16	80 7/8	-	-	-	-	-	-	3.03	8 3/16	61 11/16	12 11/16	79 3/16
14610	16 1/2	81 5/16	80 7/8	-	-	-	-	-	-	3.87	10 3/16	61 11/16	14 11/16	79 3/16
16610	18 1/2	81 5/16	80 7/8	-	-	-	-	-	-	4.71	12 3/16	61 11/16	16 11/16	79 3/16
18610	20 1/2	81 5/16	80 7/8	-	-	-	-	-	-	5.56	14 3/16	61 11/16	18 11/16	79 3/16
1270	14 1/2	83 5/16	82 7/8	-	-	-	-	-	-	3.13	8 3/16	63 11/16	12 11/16	81 3/16
1470	16 1/2	83 5/16	82 7/8	-	-	-	-	-	-	4.00	10 3/16	63 11/16	14 11/16	81 3/16
1670	18 1/2	83 5/16	82 7/8	-	-	-	-	-	-	4.87	12 3/16	63 11/16	16 11/16	81 3/16
1870	20 1/2	83 5/16	82 7/8	-	-	-	-	-	-	5.74	14 3/16	63 11/16	18 11/16	81 3/16
1270	14 1/2	86 5/16	85 7/8	-	-	-	-	-	-	3.28	8 3/16	66 11/16	12 11/16	84 3/16
1470	16 1/2	86 5/16	85 7/8	-	-	-	-	-	-	4.19	10 3/16	66 11/16	14 11/16	84 3/16
1670	18 1/2	86 5/16	85 7/8	-	-	-	-	-	-	5.10	12 3/16	66 11/16	16 11/16	84 3/16
1870	20 1/2	86 5/16	85 7/8	-	-	-	-	-	-	6.02	14 3/16	66 11/16	18 11/16	84 3/16
1280	14 1/2	95 5/16	94 7/8	-	-	-	-	-	-	3.73	8 3/16	75 11/16	12 11/16	93 3/16
1480	16 1/2	95 5/16	94 7/8	-	-	-	-	-	-	4.77	10 3/16	75 11/16	14 11/16	93 3/16
1680	18 1/2	95 5/16	94 7/8	-	-	-	-	-	-	5.80	12 3/16	75 11/16	16 11/16	93 3/16
1880	20 1/2	95 5/16	94 7/8	-	-	-	-	-	-	6.84	14 3/16	75 11/16	18 11/16	93 3/16
1283	14 1/2	98 5/16	97 7/8	-	-	-	-	-	-	3.88	8 3/16	78 11/16	12 11/16	96 3/16
1483	16 1/2	98 5/16	97 7/8	-	-	-	-	-	-	4.96	10 3/16	78 11/16	14 11/16	96 3/16
1683	18 1/2	98 5/16	97 7/8	-	-	-	-	-	-	6.04	12 3/16	78 11/16	16 11/16	96 3/16
1883	20 1/2	98 5/16	97 7/8	-	-	-	-	-	-	7.11	14 3/16	78 11/16	18 11/16	96 3/16
CPS (Concealed Painic) Double Door - One panel open at 90 degrees														
<i>6-1/2" stiles, 6-1/2" top rail, 12" bottom rail</i>														
6273	74 1/16	-	85 7/8	33 25/32	-	84 1/8	-	19.74	21.30	24 11/32	66 11/16	36	84 3/16	
6283	74 1/16	-	97 7/8	33 25/32	-	96 1/8	-	22.55	25.19	24 11/32	78 11/16	36	96 3/16	
CPS (Concealed Painic) Double Door - One panel open at 90 degrees														
<i>6-1/2" stiles, 6-1/2" top rail, 12" bottom rail</i>														
6273	74 1/16	-	85 7/8	67 7/8	-	84 1/8	-	39.65	21.30	24 11/32	66 11/16	36	84 3/16	
6283	74 1/16	-	97 7/8	67 7/8	-	96 1/8	-	45.31	25.19	24 11/32	78 11/16	36	96 3/16	

Notes:

Clear opening width is calculated with panel open at 90 degrees. (Double door - both panels open at 90 degrees.)
Code restrictions may vary depending on your local building codes.
Eagle Window & Door reserves the right to change specifications without notice.